

Work Order ID 95201

95201

Page 1

January-02-13 3:06:24 PM

Item ID: D3215-043 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Belt Assembly
 Start Date: 1/02/13 Start Qty: 11.00 *11* Cust Item ID:
 Required Date: 1/02/13 Req'd Qty: 11.00 *11* Customer:
 Reference:

Approvals: Process Plan: AP Date: 13-01-7 Tooling: Date: Run Start *NR1*
 QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3215	Rev D

100 PURCHASING 0.00
 100 Purchasing Memo 0.00
 Purchasing Issue P/O: 18745 to Tulmar Safety Systems
 D3215-043 as per Dwg D3215
 Ship to Tulmar
 Certificate of Conformity is required

CL 13/01/07 11

110 Receive & Inspect for Damage & Mat'l Certs 0.00
 110 Packaging Memo 0.00
 Packaging Ensure certificate of conformity is attached

P3/01/21 11

120 QC6- Inspect dimensions to drawing 0.00
 120 QC Memo 0.00
 Quality Control

DAS
 15
 13-1-22

11

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped. <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions
<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge		
<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other		

95201

January-02-13 3:06:24 PM

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 1/02/13 **Start Qty:** 11.00 ***11***

Cust Item ID:

Required Date: 1/02/13 **Req'd Qty:** 11.00 *** 1 1 ***

Customer:

Reference:

Approvals: _____ **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

[illegible]

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data <input type="checkbox"/>									
Equip/Tooling <input type="checkbox"/>									
Operator <input type="checkbox"/>									
Material <input type="checkbox"/>									
Setup <input type="checkbox"/>									
Other <input type="checkbox"/>									
Process <input type="checkbox"/>									
Supplier <input type="checkbox"/>									
Training <input type="checkbox"/>									
Unapproved <input type="checkbox"/>									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions
<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge		
<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other		

Picklist Print

January-02-13 3:06:23 PM

Page 1

Work Order ID: 95201
Parent Item: D3215-043
Parent Item Name: Belt Assembly

Start Date: 1/02/13
Start Qty: 11.00

Required Date: 1/02/13
Required Qty: 11.00

Comments: IPP A03.10.28New IssueKJ/RF
IPP B 07.06.12 ecn 940 EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3215-043P Harness Assembly		Purchased	No			110	Each	0.0000	1	11		1/3/13	(11)
D3215-3 Webbing Tidy		Manufactured	No			100	Each	0.0000	2	22		1/3/01/11	22
D3216-1 Fitting		Manufactured	No			100	Each	13.0000	2	22		1/3/01/11	(22)
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST034		13							
				85803		13							
D3216-3 Fitting		Manufactured	No			100	Each	6.0000	1	11		1/3/01/11	21
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST034		6							
				35285		6							

9X94993

13

5 B95074

6

7 B77300 X14
B94955 X 8

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE


DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											
FAULT CATEGORY											
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge		<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

DART

DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>H</i>	DRAWING NO. D3215	REV. D SHEET 2 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS


**D3215-043 BELT ASSEMBLY:**

- 1) MATERIAL:
WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 5700 lb MIN
OR
Belt Tech Canada Inc. 27039, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 6000 lb MIN
WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3, BLACK NYLON THREAD
LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F, BLACK NYLON THREAD
- 2) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 4) SEE SHEET 3 FOR VIEW A-A

q5201
pl13-01-7

RELEASED

07.06.07 *H*



ASSEMBLY DETAIL
NOT TO SCALE

PARTS LIST:

QTY	P/N	DESCRIPTION
X	D3215-043	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
2	D3215-3	WEBBING TIDY
2	D3216-1	WEBBING ADJUSTER

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO18745**

Purchase Order Date 1/07/13

PO Print Date 1/07/13

Page Number 1 of 1

Order From :

VC-TUL001

TULMAR SAFETY SYSTEMS
1123 CAMERON ST
HAWKESBURY, ON K6A 2B8
CA

Contact Name

Vendor Phone 613 632 1282

Vendor Fax 613 632 2030

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
13/01/13

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	D3215-041P	Harness Assembly	1/18/13 Yes	37.00 Each	Dart Truck	\$17.0000	\$629.00
Special Inst: AS PER DWG D3215 REV. D B95171							
2	D3215-043P	Harness Assembly	1/18/13 Yes	11.00 Each	Dart Truck	\$30.9500	\$340.45

Special Inst: AS PER DWG D3215 REV. D
B95201

PO Total:

\$969.45

CERTIFICATE OF CONFORMITY
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 1/07/13

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required - YES NO

PACKING SLIP

TULMAR

Tulmar Safety Systems Inc.
1123 Cameron Street
Hawkesbury, ON K6A 2B8 CA
Tel: 613-632-1282
Fax: 613-632-2030
MID : XOTULSAF1123HAW
email: info@tulmar.com

Packing Slip No.

46575

Ship Date

17-Jan-13

Bill To:

Dart Aerospace

1270 Aberdeen Street
Hawkesbury, ON K6A 1K7. Canada

Ship to:

Dart Aerospace

1270 Aberdeen Street
Call Linda Lacelle when ready
613-632-9577
Hawkesbury, ON K6A 1K7. Canada

Order number	Sales order date	Account number	Account manager
29750	8-Jan-13	CDART100	Helena Vandeweerd
PO number	Ship Via	Shipping Terms	
PO18745	Pick-Up	FOB HAWKESBURY	
Item No.	Quantity ordered	UOM	Qty Shipped/Returned
Description			Quantity on back order

8937

37

EA

37

Belt Ass'y, 1/2" wide, Black Webbing
Drawing No: D3215 (P/N D3215-041)
DWG Rev: D
LN 1

Lot No: BATCH0000000032 Qty: 37

11

EA


11

8938

Belt Ass'y, 1/2" wide, black Webbing
Drawing No: D3215 (P/N D3215-043)
DWG Rev: D
LN 2

Lot No: BATCH0000000022 Qty: 11

Shipper



Date:


JAN 17 2013

Certificate of Conformance

☐ See Certification Enclosed

I hereby certify that the items listed hereon have been inspected, and / or tested (as applicable), conform to all specifications and requirements detailed in the contract or purchase order. Objective evidence to support this statement is on file, and can be made available upon request.
If any questions or concerns, please contact QA Manager @ 613-632-1282 ext. 245.

Authorized Inspector



Date:

JAN 17 2013



**AVERY
DENNISON**

303 Advantage Court
Lenoir, NC 28645

CERTIFICATE OF COMPLIANCE

Sold To: Tulmar Safety Systems Inc

Vendor Name: Avery Dennison Retail Information Systems

PO#: 22705

Product: 25KAMSAFE BLANK 2360NWT, IMPRINTED ONESIDE, 1-3/8" WEB
Consists of:
10D011625 HS1111 1-3/4" 1.125P 1640FT TTR
152360138 2360NWT 1-3/8" 3C 334YDS

Mil Spec: NA

Quantity 1

Lot# NA

Ship Date: 3/8/2012

Contract# NA

I certify that the above component complies with all applicable Avery Dennison specifications of 950 German Street, Lenoir, NC.

Signature:

Title:

Shipping Lead

22019-001/04

5



American & Efrid Inc.
Post Office Box - 507
Mount Holly, NC -28120
Certificate of Compliance

Date : 3/23/2011

Mfg. Date : 3/27/2010

Lot Id : 705150

Quantity: 43

Product : Tex 90 BONDED 'Z' NYLON FILAMENT Black AA 63002 16 OZ

Specification : A-A-59826 TPII CLA F BT92N4

Customer Order Number : 17499-00

Plys (Visual) : 4

Customer : Tulmar Safety Inc.

Twist Direction : Z

Shipped To : Tulmar Safety Inc.

A&E Color : 63002 Black
AA

Description : Bright, Continuous Multifilament Nylon, Melting Point >472F; Colorless Nylon Polymer Bond; Polypropylene Spools

Characteristic	Test1	Test2	Test3	Test4	Test5	Average	Minimum	Maximum
Strength #1 (Pound)	15.2	15.7	15.6	15.7	15.8	15.6		
Strength #2 (Pound)	15.4	15.1	15.2	15.4	14.8	15.2		
Average Strength (Pound)						15.4	11.8	
Elongation #1 (Percent)	20.5	22.4	21.8	22	21.8	21.7		
Elongation #2 (Percent)	22.3	21.4	21.9	22.5	21.1	21.9		
Average Elongation (Percent)						21.8		26
Lube								
						Pass	Pass	
Twist S #1 (Turns per inch)	12.2	12.2	12.2	12.2	12.2	12.2		
Twist S #2 (Turns per inch)	12.2	12.2	12.2	12.2	12.2	12.2		
Average Twist S (Turns per inch) Initial Twist						12.2		
Twist Z #1 (Turns per inch)	8.1	8.1	8.1	8.1	8.1	8.1		
Twist Z #2 (Turns per inch)	8.1	8.1	8.1	8.1	8.1	8.1		
Average Twist Z (Turns per inch) Final Twist						8.1	5.5	
Yield #1 (Yards/Pound)	4211.8					4211.8		
Yield #2 (Yards/Pound)	4114.7					4114.7		
Average Yield (Yards/Pound)						4163.2	3601	5200
Laundry #1 (Grading Scale)	5					5		
Laundry #2 (Grading Scale)	5					5		
Average Laundry (Grading Scale)						5	3	5
Dry Cleaning #1 (Grading Scale)	5					5		
Dry Cleaning #2 (Grading Scale)	5					5		

TS # 2530/50

Average Dry Cleaning (Grading Scale)		5	3	5
Perspiration #1 (Grading Scale)	5	5		
Perspiration #2 (Grading Scale)	5	5		
Average Perspiration (Grading Scale)		5	3	5
Color Fastness to Light #1 (Grading Scale)	5	5		
Color Fastness to Light #2 (Grading Scale)	5	5		
Average Color Fastness to Light (Grading Scale)		5	3.4	5

I certify that the above test were performed under my supervision and in accordance with the specification test requirements and that the reported test results are true, valid and applicable to the samples tested. I further certify that these samples were the only samples tested from the lot of components identified above.

Signed : *Joseph D. Munday*

Joseph D. Munday
Testing Director

Note: This Certificate of Compliance is the property of American & Efrid Inc. and may not be reproduced except in its entirety.

Save as PDF

TSS 2530/50 @



cansew inc.

formerly / anciennement
Canadian Sewing Supply Ltd. / Liée - established / établie 1924

Manufacturers of sewing threads. / Wholesalers of elastics, Velcro, tapes, trimmings.
Fabricants de fils à coudre. / Grossistes d'élastiques, Velcro, galons, garnitures.

16 September 2008

Tulmar Safety Systems
1123 Cameron Street
Hawksbury, Ontario
K6A 2B8


Att. Sandra Nadeau

CERTIFICATE OF COMPLIANCE

This is to certify that the items mentioned below, shipped to Tulmar Safety Systems by CANSEW INC. on 16 September 2008, have been produced in accordance with the requirements of Purchase Order no. 14743-00 of the same date:

- *-Bonded Nylon CB207 - 20.05 lb, colour black, lot # 710805, meeting the requirements of specification V-T-295, Type 2, Class A, Size 3, 3 ply
- Bonded Nylon CBB92 - 64.30 lb, colour OG-107, lot # 667896 and 587426, meeting the requirements of specification V-T-295, Type 2, Class A, Size F

Yours truly,


Helene Schachter
CANSEW INC.

FOR PIN D3215-041 & PIN D3215-043

MONTREAL - Head Office/Siège social
111 Chabanel W./O. H2N 1C9
Administration (514) 382-2807
Commands/Orders (514) 382-2801
1-800-361-7722
FAX: (514) 385-5530

TORONTO
28 Apex Rd. M6A 2V2
(416) 782-1122
1-800-387-8584
FAX: (416) 782-8358

WINNIPEG
1674 Church Ave R2X 2W9
(204) 942-4264
1-800-665-0701
FAX: (204) 947-9280

CALGARY
3932 - 29th St. N.E. T1Y 6B6
(403) 291-4494
1-800-667-4197
FAX: (403) 291-5139

VANCOUVER
1615 Venables St. V5L 2H1
(604) 682-4341
1-800-580-0737
FAX: (604) 682-4196

info@cansew.ca

www.cansew.ca

TSS# 2524/54

TSS# 2525/41

(S)

Belt-Tech Products Inc.

Certificate of Compliance No : 56 412

Page : 1 de 1
Date : 2010-10-22
Time : 13:31:04Pattern : 27039
Color : CG008 BLACK
Customer : TULMAR SAFETY SYSTEMS
NissanWidth : 47.000
Meters : 6 728.00Dye lot No : 432674
Warp Order :
Test Date : 2010/10/22
Legend : Y = Good - Pass
N = Fail

Customer Part Number 18440 - 00

Test Method	Date	Type of Test	Min. Spec.	Max. Spec.	Median	Test 1	Test 2	Test 3
FMVSS 209	2009/10/01	Width - no load (mm)	46.000	48.000	47.930	47.840	47.970	47.930 Y
SAE J 882	2007/09/01	Thickness - original (mm)	1.140	1.400	1.175	1.185	1.175	1.175 Y
ASTM D-3775	2008/07/01	Picks per cm	7.000		7.200	7.200	7.200	7.200 Y
FMVSS 209	2009/10/01	Elongation - @ 11.1 kn load (%)		20.000	6.310	6.310	6.120	6.640 Y
FMVSS 209	2009/10/01	Tensile - original (lbs)	6,700.000		7,167.000	7,167.000	7,086.000	7,182.000 Y
FMVSS 209	2009/10/01	Tensile - hex-bar % of original	75.000		91.700	91.500	91.900	91.700 Y
AATCC TM 8	2007/01/01	Crocking "wet"	3.000		4.000	4.000	4.000	4.000 Y
AATCC TM 8	2007/01/01	Crocking "dry"	3.000		4.500	4.500	4.500	4.500 Y
AATCC TM 107	2009/01/01	Dye stability (staining) *	3.000		4.500	4.500	4.500	4.500 Y

Specification(s) : FMVSS 209 revised on 2008-10-01

FMVSS 302 revised on 2008-10-01

Comment(s)

This is to certify that this product conforms to the specification(s) mentioned above and the requirement(s) outlined in the Purchase Order # and was tested at $22 \pm 3^{\circ}\text{C}$ temperature and 45-55 % relative humidity.
Not applicable for downgraded (second) material
If this document is not signed, it is to be regarded as a non-controlled version

Tested by :

Approved by :

4.10-1403E (2010-03-31)

TS # 2281/12 (S)